Web Books

Results 1 - 8 of 8 for BaAl12O19 "electron source". (0.31 seconds)

Did you mean: BaFe12019 "electron source"

MRS Website: Symposium E: Materials and Processes for Flat-Panel ...
Jun 9, 2008 ... BaAl12019:Mn2+ is one of the promising candidates for the green ... the first application of carbon nanotube (CNT) as an electron source, ...

www.mrs.org/s_mrs/doc.asp?CID=14924&DID=212219 - <u>Similar pages</u> by Y Qiu - <u>All 2 versions</u>

Applicants; JP Priority

Applicants

ELECTRON SOURCE - Patent Review JP20030025718 20030203

K once per several hours and that the the **electron source** can not be operated of BaAl2O4, **BaAl12O19**, Ba3Sc4O9, BaSc2O4, BaTiO3, BaZrO3 and BaHfO3. ... www.wikipatents.com/jp/2004265614.html - Similar pages

COLOR FILTER FOR TRANSLUCENT LIQUID CRYSTAL DISPLAY DEVICE ...

An **electron source** characterized in that a barium-supplying source consisting of a ... of BaAl2O4, **BaAl12O19**, Ba3Sc4O9, BaSc2O4, BaTiO3, BaZrO3 and BaHfO3. ...

www.wikipatents.com/jp/2004239929.html - Similar pages

Plasma displays

... pixel provides the priming **electron source** for the main pixel discharge. Zn2SiO4:Mn Zn2SiO4:Mn Zn2SiO4:Mn BaAl12O19:Mn BaMgAl14O23:Mn ... www.scribd.com/doc/6938976/Plasma-displays - 160k - Cached - Similar pages

Plasma displays

Log In. If you already have an account, log in. Username or Email Password. Trouble logging in? Login with Gmail, Facebook, OpenID, and more ... www.scribd.com/doc/6938976/Plasma-displays?__cache_revision= 1231652476&__user_id=-1&enable_docview... - 148k - Cached - Similar pages

[APPLICATION] Electron source - Google Patents Result

US Pat. App 10544227 - Denki Kagaku Kogyo Kabushiki Kaisha [0046] The **electron source** of the present invention can be used within a temperature range of from 900 to 1450 K, preferably from 1000 to 1300 K. ... www.google.com/patents?id=iTebAAAAEBAJ

[APPLICATION] Electron source - Google Patents Result

US Pat. App 10544227 - Denki Kagaku Kogyo Kabushiki Kaisha apparent from such Table 1, the **electron source** of the present invention has a ... An **electron source** characterized in that a barium- supplying source ... www.google.com/patents?id=iTebAAAAEBAJ

barium oxide 的翻译结果 -- cnki翻译助手 - [Translate this page]

... to be a carrier for barium oxide or barium atom which is the **electron source**, ... BaAl2O4的产生并没有抑制BaAl12O19的形成.形成BaAl12O19的另一条途径 ...

dict.cnki.net/dict_result.aspx?searchword=barium+oxide - Similar_pages

In order to show you the most relevant results, we have omitted some entries very similar to the 8 already displayed.

If you like, you can repeat the search with the omitted results included.

Did you mean to search for: **BaFe12O19** "electron source"

Web Images Maps News Video Gmail more -

Sign in



BaAl12O19 Schottky electron

Search

Advanced Search Preferences

Web Books

Results 1 - 7 of 7 for BaAl12O19 Schottky electron. (0.66 seconds)

Did you mean: BaFe12019 Schottky electron

ELECTRON SOURCE - Patent Review JP20030025718 20030203

SOLUTION: This **electron** source is the Bao/W **Schottky electron** source using a of BaAl2O4, **BaAl12O19**, Ba3Sc4O9, BaSc2O4, BaTiO3, BaZrO3 and BaHfO3. ...

www.wikipatents.com/jp/2004265614.html - Similar pages

COLOR FILTER FOR TRANSLUCENT LIQUID CRYSTAL DISPLAY DEVICE ...

The energy spread of the **Schottky electron** emission source will not be lower than of BaAl2O4, **BaAl12O19**, Ba3Sc4O9, BaSc2O4, BaTiO3, BaZrO3 and BaHfO3. ...

www.wikipatents.com/jp/2004239929.html - Similar pages More results from www.wikipatents.com »

SYMPOSIUM F

Jun 9, 2008 ... Morphology of samples were observed by scanning **electron** microscope. be attributed to the internal barrier layer capacitor model of **Schottky** barriers. We have reported the preparation of **BaAl12O19**:Mn2+ ...

www.mrs.org/s_mrs/bin.asp?CID=14924&DID=212218&DOC=FILE.PDF - <u>Similar pages</u> by X Pan - <u>All 2 versions</u>

MRS Website: Symposium F: Functional Ceramics

February 2008 -- In Situ Transmission **Electron** Microscopy Morphology of samples were observed by scanning **electron** microscope. ...

www.mrs.org/s_mrs/doc.asp?CID=14924&DID=212218&css=print&css=print - Similar pages

More results from www.mrs.org »

Nitride semiconductor device comprising bonded substrate and ...

A substrate 1 for growing nitride semiconductor has a first and second face and has a thermal expansion coefficient that is larger than that of the nitride ...

www.freshpatents.com/Nitride-semiconductor-device-comprising-bonded-substrate-and-fabrication-method-of-the-same-dt... - 207k - <u>Cached - Similar pages</u>

[APPLICATION] Electron source - Google Patents Result

US Pat. App 10544227 - Denki Kagaku Kogyo Kabushiki Kaisha [0046] The **electron** source of the present invention can be used within a temperature range of from 900 to 1450 K, preferably from 1000 to 1300 K. ... www.google.com/patents?id=iTebAAAAEBAJ

[APPLICATION] Electron source - Google Patents Result

US Pat. App 10544227 - Denki Kagaku Kogyo Kabushiki Kaisha apparent from such Table 1, the **electron** source of the present invention has a ... Further, it is possible to improve the throughput of an **electron** beam ... www.google.com/patents?id=iTebAAAAEBAJ

In order to show you the most relevant results, we have omitted some entries very similar to the 7 already displayed.

If you like, you can repeat the search with the omitted results included.

Did you mean to search for: BaFe12019 Schottky electron
BaAl12O19 Schottky electron Search
Search within results - Language Tools - Search Tips - Dissatisfied? Help us improve - Try Google Experimental

Google Home - Advertising Programs - Business Solutions - Privacy - About Google

Did you mean: BaFe12019 electron source single crystal Top 2 results shown

Materials Science and Engineering: A: Synthesis and ... May 15, 2007 ... View the MathML source. where d is the average crystal size, ... the support from Hitachi S-4800 FE-SEM Laboratory of Electron Microscope, ... linkinghub.elsevier.com/retrieve/pii/S092150930602644X - Similar pages by H Shang - 2007 - Related articles

Combustion Synthesis of BaFe12O19 in an External Magnetic Field ... tions, especially as pertains issues of crystal growth and solid- state nucleation. ... rapidly sinterable and forms essentially a single phase materi- ... Point source thermal initiation of a mixture of BaO Electron microprobe composition map of the product produced from the. SHS reaction of BaO ...

doi.wiley.com/10.1002/1521-4095(200009)12:18%3C1359::AID-ADMA1359%3E3.0.CO% 3B2-P - Similar pages

by L. Affleck - 2000 - Cited by 1 - Related articles - All 3 versions

Results for: BaAl12O19 electron source single crystal

MRS Website: Symposium E: Materials and Processes for Flat-Panel ... Jun 9, 2008 ... To illustrate the electrical performance of the single crystal BaAl12O19: Mn2+ is one of the promising candidates for the green ... Since the first application of carbon nanotube (CNT) as an electron source, ... www.mrs.org/s/mrs/doc.asp?CID=14924&DID=212219 - Similar pages by Y Qiu - All 2 versions

SYMPOSIUM E

Jun 9, 2008 ... To illustrate the electrical performance of the single crystal and Photoluminescense Behaviors of BaAl12O19:Mn2+ co-doped with Bi3+ ... Since the first application of carbon nanotube (CNT) as an electron source, ... www.mrs.org/s_mrs/bin.asp?CID=14924&DID=212219&DOC=FILE.PDF - Similar pages by Y Qiu - All 2 versions More results from www.mrs.org »

ELECTRON SOURCE - Patent Review JP20030025718 20030203

The electron source according to any one of Claims 1 to 4, wherein the single crystal needle of tungsten or molybdenum has a <100> orientation and has a ... www.wikipatents.com/jp/2004265614.html - Similar pages

COLOR FILTER FOR TRANSLUCENT LIQUID CRYSTAL DISPLAY DEVICE ...

The electron source according to claim 1, wherein the single crystal needle of of BaAl2O4, BaAl12O19, Ba3Sc4O9, BaSc2O4, BaTiO3, BaZrO3 and BaHfO3. ...

www.wikipatents.com/jp/2004239929.html - Similar pages

publications - [Translate this page]

Effect of electron-beam irradiation on the magnetic properties of Ga1-xMnxAs Chemical Vapor Deposition Using a Radio Frequency Plasma Source ... Observation of Two Independent Energy Transfer Mechanisms in BaAl12O19: ... Electronic energy levels of Er3+ in ZnInGaS4:Er3+ single crystal and its site symmetry ...

ipap.yonsei.ac.kr/~fenian/publications.htm - Similar pages

IPDFI Untitled

File Format: PDF/Adobe Acrobat - View as HTML

A novel structure of cholesteric liquid crystal display(Ch-LCD) using FPC film substrate RT-stable electride and its application to cold electron emitter and electron The Advantages of Using Solid State Illumination in Single Panel LCOS Rear Reaserch of Coating BaAl12O19:Mn2+ Phosphors with MgF2 ...

ad07.ecnu.edu.cn/Asia%20Display%202007%20International%20Conference%... -

Similar pages by T Breaks - All 4 versions

ASIA DISPLAY 2007 INTERNATIONAL CONFERENCE & EXHIBITION ABSTRACT ... - [Translate this page]

4.2, 10120, Ferroelectric Nano-Particle Liquid **Crystal** Dispersions for Active Matrix 1.4, 10261, Viewing Angle Controllable LCD with a **Single** LC Layer, Oral 23.3, 100100, Large Area **Electron** Field Emission Cathodes, Invited 40.1, 70261, Research of coating **BaAl12019**:Mn2+ phosphor with MgF2, Oral ... ad07.ecnu.edu.cn/AD07%20Abstract%20Acceptance%20List htm - 634k -

ad07.ecnu.edu.cn/AD07%20Abstract%20Acceptance%20List.htm - 634k - Cached - Similar pages

[APPLICATION] Electron source - Google Patents Result

US Pat. App 10544227 - Denki Kagaku Kogyo Kabushiki Kaisha [0046] The **electron source** of the present invention can be used within a ... of the tungsten **single crystal** needle but also from the supply **source** made of ... www.google.com/patents?id=iTebAAAAEBAJ

[APPLICATION] Electron source - Google Patents Result

US Pat. App 10544227 - Denki Kagaku Kogyo Kabushiki Kaisha

The **electron source** according to claim 1, wherein the **single crystal** needle of tungsten or molybdenum has a <> orientation and has a flat surface consisting ... www.google.com/patents?id=iTebAAAAEBAJ

(PDF) Untitled

File Format: PDF/Adobe Acrobat - View as HTML

A novel structure of cholesteric liquid **crystal** display(Ch-LCD) using FPC film substrate RT-stable electride and its sapplication to cold **electron** emitter and **electron** ... Novel Design of Reference Voltage **Source** Integrated in LCoS Chip Reaserch of Coating **BaAl12O19**:Mn2+ Phosphor with MgF2. Cao Tong ...

www.sid.org/conf/asid2007/program.pdf - Similar pages by T Breaks - All 4 versions

資料検索 - [Translate this page]

Coexistence of excitonic lasing with **electron**-hole plasma spontaneous emission in ... Cathodoluminescence of undoped β -Ga2O3 **single** crystals, / Vllora E.G., Atou T., ... Non-critical phase matching of GdxY1-xCa4O(BO3)3(GdxY1-xCOB) **crystal** Observation of Two Independent Energy Transfer Mechanisms in **BaAl12O19**: ...

library.naist.jp/mylimedic/search/magazine.do?target=local&bibid=805 - 89k - Cached - Similar pages

METALLUM - PTECH

Single equipment (Beckman coulter LS13320) was used for wet and dry analysis. The alloy was characterized by means of scanning **electron** microscopy, The **crystal** structure of finer Cu powder is more severely deformed than that of **BaAl12O19** synthetized by Pechini Method: Structural and morphologic ...

www.metallum.com.br/new_ptech/submitted_papers.html - 634k - Cached - Similar pages